

Notification of lead risk work

Use this form to notify of lead risk work in accordance with Regulation 403 of the Work Health and Safety (National Uniform Legislation) 2011.

Refer to the guide for [Lead risk notification](#) for further information.

1. Business details

Business name:		ABN:	
Contact person:			
Contact number:		Mobile number:	
Email address:			
Address:			
Suburb:		State:	
		Postcode:	
Is your postal address the same as above? (If no, complete below)	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
Postal address:			
Suburb:		State:	
		Postcode:	

2. Registered medical practitioners details (who is conducting the health monitoring)

Name of medical practice:			
Title:			
Surname:			
Given name/s:			
Practice address:			
Suburb:		State:	
		Postcode:	
Phone number:			
Email address:			

3. Address of the workplace at which the lead risk work is to be carried out

Site name:			
Site address:			
Suburb:		State:	
		Postcode:	
Date of commencement of lead risk work:			
Proposed finish date if the work is short term such as abrasive blasting of lead paint from a structure:			

4. Description of the lead process to be carried out (Select one or more of the following)

work that exposes a person to lead dust or lead fumes arising from the manufacture or handling of dry lead compounds	<input type="checkbox"/>
work in connection with the manufacture, assembly, handling or repair of, or parts of batteries containing lead that involves the manipulation of dry lead compounds or pasting or casting lead	<input type="checkbox"/>
breaking up or dismantling batteries containing lead, or sorting, packing and handling plates or other parts containing lead that are removed or recovered from the batteries	<input type="checkbox"/>
spraying molten lead metal or alloys containing more than 5% by weight of lead metal	<input type="checkbox"/>
melting or casting lead alloys containing more than 5% by weight of lead metal in which the temperature of the molten material exceeds 450°C	<input type="checkbox"/>
recovering lead from its ores, oxides or other compounds by thermal reduction process	<input type="checkbox"/>
dry machine grinding, discing, buffing or cutting by power tools alloys containing more than 5% by weight of lead metal	<input type="checkbox"/>
machine sanding or buffing surfaces coated with paint containing more than 1% by dry weight of lead metal	<input type="checkbox"/>
a process by which electric arc oxyacetylene, oxy gas, plasma arc or a flame is applied for welding, cutting or cleaning, to the surface of metal coated with lead or paint containing more than 1% by dry weight of lead metal	<input type="checkbox"/>
radiator repairs that may cause exposure to lead dust or lead fumes	<input type="checkbox"/>
fire assays if lead, lead compounds or lead alloys are used	<input type="checkbox"/>
hand grinding and finishing lead or alloys containing more than 50% by dry weight of lead metal	<input type="checkbox"/>
spray painting with lead paint containing more than 1% by dry weight of lead	<input type="checkbox"/>
melting lead metal or alloys containing more than 50% by weight of lead metal if the exposed surface area of the molten material exceeds 0.1 square metre and the temperature of the molten material does not exceed 450°C	<input type="checkbox"/>
using a power tool, including abrasive blasting and high pressure water jets, to remove a surface coated with paint containing more than 1% by dry weight of lead metal and handling waste containing lead resulting from the removal	<input type="checkbox"/>
a process that exposes a person to lead dust or lead fumes arising from manufacturing or testing detonators or other explosives that contain lead	<input type="checkbox"/>
a process that exposes a person to lead dust or lead fumes arising from firing weapons at an indoor firing range	<input type="checkbox"/>
foundry processes involving: (i) melting or casting lead alloys containing more than 1% by weight of lead metal in which the temperature of the molten material is more than 450°C, or (ii) dry machine grinding, discing, buffing or cutting by power tools lead alloys containing more than 1% by weight of lead metal	<input type="checkbox"/>
a process decided by the Work Health Authority to be a lead process under regulation 393	<input type="checkbox"/>

5. Description of the risk control measures to minimise worker exposure

--	--

Date when the last time workers carrying out lead risk work had their blood levels tested:	
--	--

Result of those tests:	
------------------------	--

6. Notifier declaration

The information in this notification is true and correct to the best of my knowledge.

I consent to the Work Health Authority making enquiries and exchanging information with work health and safety regulators in other States, Territories or the Commonwealth regarding any matter relevant to this notification.

I have submitted this form electronically (signature is not required)	<input type="checkbox"/>
---	--------------------------

Notifier signature:		Date:	
---------------------	--	-------	--

Privacy statement

The Northern Territory Government respects and is committed to safeguarding the confidentiality and privacy of the information that it collects and handles, in accordance with the *Northern Territory Information Act 2002*.

You have been asked to provide personal information necessary for us to meet your application requirements. You do not have to provide your personal information but if you choose not to, this application will be incomplete and we will be unable to process it.

The information you provide will be accessible to NT WorkSafe and will only be used to provide a department service or program. We will not disclose your personal information to third parties unless, authorised or required by law to do so, or you have given us consent to share your personal information for a specific purpose.

You may request access to the personal information we hold about you. If you want more information about the Northern Territory's privacy laws, please refer to the *Northern Territory Information Act 2002*, or the Office of the Information Commissioner NT.

Lodgement

Completed applications can be lodged in person, email or via post at a [NT WorkSafe](#) below:

Phone: 1800 019 115

Email: ntworksafe@nt.gov.au

Postal: GPO Box 1722, Darwin NT 0801

In person: Building 3, Darwin Corporate Park, 631 Stuart Highway, Berrimah NT